


Customized Bearing

RV reducer taper roller bearing-



Bearings	32206X3
ID	30
OD	65
Height T	22
ID height B	22
Od height C	17.5
Inner Chamfer	2.2
outer chamfer	1.2
Loading Cr	63.2KN
Loading Cor	75KN
Notes	Robot RV reducer



The miniature taper roller bearing mainly use in RV reducers , it's one of the key components of the RV reducers. It is designed with compact dimensions and consists of an inner ring, an outer ring, rollers, and a cage. It can be used in a compact RV reducer , meeting the requirements of RV reducer for bearings to bear radial and axial combined loads, high rigidity, impact resistance, wear resistance, impact resistance, and long service life.



MONTON use high quality materials and manufacturing processes to ensure bearing stability and durability under high loads and high speed. The tapered roller bearings installed in the RV gearbox need to balance high precision and high reliability to ensure stable operation under heavy load and high rigidity conditions. MONTON miniature tapered roller bearings are widely used in the transmission systems of industrial robot joints, RV reducers, and harmonic reducers. They are one of the main supporting components for RV reducers to achieve high positioning accuracy and stable output. Welcome contact with us for more information!

RV-20E	89	114	13	12	13
RV-40E	115	145	15	14	15
RV-80E	131	165	15	11	15
RV-110E	144	174	15	14	15
RV-160E	168	205	19	15.4	20
RV-320E	200	250	23	20.5	24
RV-10C	97	120	13	12	13
RV-120C	182	214	17.5	15	17.5
RV-320CA	320	383	30	29.8	30
RV-20E RV-25	33001-9.4	9.4	24	13	
RV-20E RV-25	33001	10	24	13	
RV-20E RV-42N	A2125/10	12	27	13	

RV-20E RV-42N	30301	12	27	13	
RV-50C	30202*2J	12	30	12.7	
RV-50C	32102	15	30	13.1	
RV-50E	30202U	15	35	11.75	
RV-80E RV-70F RV-120C	32202	15	35	15	
RV-80E RV-70F RV-120C	32202X1	15	36	15	
RV-110E RV-110F RV-120F RV-200C	32004U	15	42	15	
RV-160E CR-320C	30204U	20	47	15	
RV-320CA CR-400C	32204U	20	47	15.25	
RV-320E RV-500C	33006U	20	55		
RV-320E RV-500C	33006X2	30	58	20	
RV-320E RV-500C	32006X2J	30	58	19.7	
RV-450E	32206X3	30	65	20	
RV-320E3	32206U	30	62	22	
RV-550E RV-550F	32207	35	72	24.25	